GOVERNMENT OF MADRAS. Sectt. II-28—50,006—12-6-53.

(1953) Department.

~~Endorsement~~
~~D.O.~~ (Seven pages)
~~Memorandum~~
~~Lodged~~

No. 76173/H VI/53-2. Health

Dated 21/1/1954.

Closed
4/2/54
Supdt.

FURTHER PAPERS

Department.	Number.	Series.	Date.

Water Supply — Karikal Panchayat Board (S. Kanara) Scarcity of water in wells — Digging of Rocky Strata Boring Machine — Request for — regarding

Roc.No. 890/53.

OFFICE OF THE KARKALA PANCHAYAT.

Dated 18-12-1953.

Seey. H.E.L.A.
A boring set may be supplied.

From

To

Sri R.H.Shenai, B.A.,L.T.,
President, Karkala Panchayat,
South Kanara District.

The Assistant Director of
Industries, Kozhikode,
(M A L A B A R)

SECRETARY TO GOVERNMENT HEALTH & LOCAL ADMN. DEPT. 76/73 22 DEC 1953

DIRECTOR OF HEALTH SERVICES 22 DEC 1953 MADRAS

H6

Dear Sir,

In this Panchayat area there are some open wells with a thick strata of hard rock beside, the result being that there is a great scarcity of water for drinking and agriculture purposes from about the beginning of February every year in those wells. The provision of good and pure drinking water throughout the year is a first charge on the Panchayat Board Funds. I, therefore, request you to send us a boring machine to bore through the rocky strata till the underground water level is struck in each well. Hand-driven boring machine being less costly than the power driven one, I request you to arrange to send it to the Panchayat office so that we may try to bore one Panchayat well to start with. I understand that it is now working in the Udipi Taluk. On its return to Mangalore via Karkala, it may be halted here for the purpose. Please let me know the charges to be borne by the Panchayat and also by the private parties in this Panchayat who use the well-water for drinking and agricultural purposes.

I request you to send me an early reply to this reference.

Thanking you,

Yours faithfully,
R. H. Shenai
PRESIDENT.

S/H 23/12/53.

P-T-O.

2

Copy forwarded to:-
1) The Supervisor of Industries, South Kanara, Mangalore
2) Sri Z.B.Shetty, M.L.A., Minister for Public Health, Madras State, Madras.

H-2-12-ABOOL

Urgent.

H VI

2(i) Today
26/12/53 Memo No. 76173-HVI/53-1 Health
dt 26/12/53

Sub:- W.S. Harkola Pt. - South Kanara Dt. - Scarcity of water in wells - Digging of Survey Strata Boring machine - Request for.

Ref:- From the President, Harkola Panchayat, letter Rec No. 8.9.01/53 dt 18.12.53

A copy of the letter cited is forwarded in the direction of Sanctioning and Commandeering for urgent

Remarks.

bkb
24/12/53

4/12/53

Bhat 26/12/53

Dy. E. 28/12/53.

1/ Sto D. Board
with Copy of bl of

26/12/53

1/6

Department of Industries and Commerce

From
The Director of Industries and Commerce, Chepauk, Madras.5.

To
The Secretary to Government, Health, Education and Local Administration, Fort St.George, Madras.

No.9994/B6753 dated 7-1-1954.

(B: Water supply-Karkal Panchayat Board(South Kanara District)-Scarcity of water in wells-Digging of Rocky strata- Boring Machine- Request for- regarding.
Ref: Government Memo.No.76173-H.VI/53-1 Health,dt. 26-12-'53.

Government in the memo cited above have called for my remarks, forwarding copy of letter from President, Karkal Panchayat Board.

At present one hand boring set is working in Udipi Taluk, South Kanara District. After the completion of the present work, the Hand Boring set can be deputed to the Karkal Panchayat Board for putting down borings, if the stratum to be pierced through is not very hard.

The fees chargeable to the Panchayat Board and other private parties who wish to put down borings for drinking water supply is Rs. 2/8/- per day, as for agriculturists. In addition the parties have to supply labour, material etc., for the work.

If however the strata in that area is very hard, a power drill will be required. Generally power drills cannot be used to put down borings inside wells, unless the wells are of small size and the surface around the well is hard enough to withstand the weight and vibrations of the machine at work. The hire charges for a power drill are Rs.6/- a day. The transport charges would be high. It is advisable that the sites are got inspected by the Assistant Director of Industries and Commerce, Kozhikode before deciding on a power drill.

for Director of Industries and Commerce

trs/ 7/1.

Copy to Asst.Director of Industries and Commerce, Kozhikode. The Asst.Director is requested to furnish the Panchayat Board with the necessary information and a copy of departmental rules for the levy of fees for work done by Industrial Engineering Branch.

7/1

SH
9/1/54

H.E.&L.A. Dept. (H VI)

With reference to the minutes of M(H) dated on page 1 ante, his attention may be invited to the remarks of the D.I.&C. in his letter above. A copy of the letter has gone to the Asst. Director of Industries and Commerce, Kozhikode

Kozhikode, Wilson Ex-Colonial Pageant is addressed. It seems to be enough if a copy of the Director's letter overleaf is communicated to the E.O. Kartikala Pavelayal (O.P.P.B) for information and necessary action.

May be circulated to M(H.) for orders on 'A' above.

12/1/54

12.1.54

S.A. Subbian
15.1.54

M(H) 16/1

HELA Deptt. Hq.

Date 15/1/54

SECRETARY TO GOVERNMENT
19 JAN 1954
HEALTH, EDN. & LOCAL ADMIN. DEPT.

A draft memo. is ruled below for approval

19/1/54.

Draft
19/1/54.

21/1/54

7

H.U.

Close
2/12/54 SD(FD) 21/11/54

From No 726/99-HU/53. Health
dt. 21/11/54

Subs:- W.S. Harsola pt. (South Konara Dt.) - Scarcity of water in wells during Summer. Digging of Boring Strata - Boring machine - Requisition - xx.

Ref:- From the President, Harsola pt., letter Rec No 890/53, dt 18/12/53 from the Director of Industries and Commerce No 9994-B5/53 dt 7/1/54

A copy of the letter of the Director of Industries and Commerce, cited, is forwarded to the President, Harsola pt. Board, for information and necessary action

SKS
21/11/54

To
The President, Harsola pt. Board (with a copy of PS cd)
The Director of Industries and Commerce.
(2 S/cs with a copy of PS cd)

Dict 1/12/54

21/11/54